



# Purell Antiseptic Hand Gel

## Safety Data Sheet

Phone: 1 300 255 546  
Email: [sales@virtueplus.com.au](mailto:sales@virtueplus.com.au)



Connect online  
@ Virtue Plus

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PURELL® Antiseptic Hand Gel

#### Manufacturer or supplier's details

Company : GOJO Australasia Pty Ltd

Address : Suite 14A, Unit 1, Level 1  
Lakes Business Park, 2B Lord Street  
Botany NSW 2019

Telephone : +612 9016 3885

Emergency telephone number : 1800 634 340

#### Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 2A

#### GHS Label element

Hazard pictograms :

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces. -

## PURELL® Antiseptic Hand Gel

Version 1.4	Revision Date: 24.05.2016	MSDS Number: 36386-00004	Date of last issue: 10.02.2015 Date of first issue: 11.12.2014
----------------	------------------------------	-----------------------------	---

No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 60 - <= 100
Propan-2-ol	67-63-0	< 10

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

---

If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO <sub>2</sub> )
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: •3Y

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided.

---



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

---

Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up :

- Non-sparking tools should be used.
- Soak up with inert absorbent material.
- Suppress (knock down) gases/vapours/mists with a water spray jet.
- For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
- Clean up remaining materials from spill with suitable absorbent.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	:	Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage	:	Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version 1.4      Revision Date: 24.05.2016      MSDS Number: 36386-00004      Date of last issue: 10.02.2015  
Date of first issue: 11.12.2014

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	AU OEL
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	400 ppm 983 mg/m <sup>3</sup>	AU OEL
		STEL	500 ppm 1,230 mg/m <sup>3</sup>	AU OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations.  
Use only in an area equipped with explosion proof exhaust ventilation.  
Use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version 1.4	Revision Date: 24.05.2016	MSDS Number: 36386-00004	Date of last issue: 10.02.2015 Date of first issue: 11.12.2014
----------------	------------------------------	-----------------------------	---

---

Material	: Impervious gloves
Material	: Flame retardant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety goggles
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear
Odour	: alcohol-like
Odour Threshold	: No data available
pH	: 6.5 - 8.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 24 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version 1.4	Revision Date: 24.05.2016	MSDS Number: 36386-00004	Date of last issue: 10.02.2015 Date of first issue: 11.12.2014
----------------	------------------------------	-----------------------------	---

---

Relative vapour density	: No data available
Density	: 0.88 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 6,000 - 17,000 mm <sup>2</sup> /s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Ethanol:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------



# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

---

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

### **Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Result: No skin irritation

### **Components:**

#### **Ethanol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

#### **Propan-2-ol:**

Species: Rabbit

Result: No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Ethanol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

#### **Propan-2-ol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

### **Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

### **Product:**

Assessment: Does not cause skin sensitisation.

### **Components:**

#### **Ethanol:**

Test Type: Local lymph node assay (LLNA)

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version 1.4	Revision Date: 24.05.2016	MSDS Number: 36386-00004	Date of last issue: 10.02.2015 Date of first issue: 11.12.2014
----------------	------------------------------	-----------------------------	---

---

Exposure routes: Skin contact  
Species: Mouse  
Result: negative

### Propan-2-ol:

Test Type: Buehler Test  
Exposure routes: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: negative

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

##### Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Propan-2-ol:

Species: Rat  
Application Route: inhalation (vapour)  
Exposure time: 104 weeks  
Method: OECD Test Guideline 451  
Result: negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

---

Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

### **Propan-2-ol:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Assessment: May cause drowsiness or dizziness.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

### **Components:**

#### **Ethanol:**

Species: Rat  
NOAEL: 2,400 mg/kg  
Application Route: Ingestion  
Exposure time: 2 y

#### **Propan-2-ol:**

Species: Rat  
NOAEL: 5000 ppm  
Application Route: inhalation (vapour)  
Exposure time: 104 w  
Method: OECD Test Guideline 413

### **Aspiration toxicity**

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

#### **Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

- |  |   |
|--|---|
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l<br>Exposure time: 48 h  |
| Toxicity to algae  | : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 9.6 mg/l<br>Exposure time: 9 d   |
| Toxicity to bacteria   | : EC50 (Photobacterium phosphoreum): 32.1 mg/l<br>Exposure time: 0.25 h   |
| <b>Propan-2-ol:</b>  |   |
| Toxicity to fish   | : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l<br>Exposure time: 96 h                                   |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l<br>Exposure time: 24 h   |
| Toxicity to algae  | : ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l<br>Exposure time: 8 d                                 |
| Toxicity to bacteria   | : EC50 (Pseudomonas putida): > 1,050 mg/l<br>Exposure time: 16 h  |

### Persistence and degradability

#### Components:

##### **Ethanol:**

- |                  |  |
|------------------|--|
| Biodegradability | : Result: Readily biodegradable<br>Biodegradation: 84 %<br>Exposure time: 20 d |
|------------------|--|

##### **Propan-2-ol:**

- |                  |                              |
|------------------|------------------------------|
| Biodegradability | : Result: rapidly degradable |
|------------------|------------------------------|

### Bioaccumulative potential

#### Components:

##### **Ethanol:**

- |  |                  |
|--|------------------|
| Partition coefficient: n-octanol/water | : log Pow: -0.35 |
|--|------------------|

##### **Propan-2-ol:**

- |  |                 |
|--|-----------------|
| Partition coefficient: n-octanol/water | : log Pow: 0.05 |
|--|-----------------|

### Mobility in soil

No data available

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### UNRTDG

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: 3

#### IATA-DGR

UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

#### IMDG-Code

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

---

### ADG

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: 3
Hazchem Code	: •3Y

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

### The components of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

---

## SECTION 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
AU OEL / TWA	: Exposure standard - time weighted average



# SAFETY DATA SHEET



## PURELL® Antiseptic Hand Gel

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	24.05.2016	36386-00004	Date of first issue: 11.12.2014

---

AU OEL / STEL : Exposure standard - short term exposure limit

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN