

Cleanshot Fabric Stain Remover

Safety Data Sheet

VIRTUE+

1 300 255 546
sales@virtueplus.com.au
read: virtueplus.com.au
shop: virtueplusorders.com.au





Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CLEANSHOT FABRIC STAIN REMOVER

Other means of identification : Not applicable.

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB PTY LTD
2 Drake Avenue
Macquarie Park, NSW Australia 2113
1 800 022 002

Emergency telephone number : 1800 205 506, +64 7 958 2372


Issuing date : 06.12.2020

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 1

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes skin irritation.
Causes serious eye damage.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
Response:
IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Propylene glycol	57-55-6	10 - 30
triethanolamine	102-71-6	5 - 10
Dodecylbenzenesulfonic Acid	68584-22-5	5 - 10
Dipropylene glycol methyl ether	34590-94-8	5 - 10
Isopropyl Alcohol	67-63-0	1 - 5
Alcohol (C10), ethoxylated, propoxylated polymer	Proprietary Ingredient	1 - 5
potassium hydroxide	1310-58-3	1 - 5
sodium metabisulphite	7681-57-4	1 - 5

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).
Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing : Fire residues and contaminated fire extinguishing water must be

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

methods disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 45 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	150 ppm 474 mg/m ³	AU OEL
		TWA	10 mg/m ³	AU OEL
triethanolamine	102-71-6	TWA	5 mg/m ³	AU OEL
Dipropylene glycol methyl ether	34590-94-8	TWA	50 ppm 308 mg/m ³	AU OEL
Isopropyl Alcohol	67-63-0	TWA	400 ppm 983 mg/m ³	AU OEL
		VLE	500 ppm 1,230 mg/m ³	AU OEL
potassium hydroxide	1310-58-3	Peak limit	2 mg/m ³	AU OEL
sodium metabisulphite	7681-57-4	TWA	5 mg/m ³	AU OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Personal protective equipment

Eye protection	: Safety goggles Face-shield
Hand protection	: Wear the following personal protective equipment: Laminate film Nitrile Unsupported neoprene PVC Natural rubber Neoprene/natural rubber blend Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves and protective clothing
Respiratory protection	: Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: yellow
Odour	: Perfumes, fragrances
pH	: 7.0 - 8.5, (100 %)
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.992 - 1.096
Water solubility	: soluble
Solubility in other solvents	: no data available

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx) Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Components

Acute inhalation toxicity	: Propylene glycol 4 h LC50 rat: > 158.5 mg/lTest atmosphere: dust/mist
	Isopropyl Alcohol 4 h LC50 rat: > 30 mg/lTest atmosphere: vapour
	sodium metabisulphite 4 h LC50 rat: > 5.5 mg/lTest atmosphere: dust/mist

Components

Acute dermal toxicity	: Dipropylene glycol methyl ether LD50 rabbit: 9,510 mg/kg
	Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: Harmful to aquatic life.
-----------------------	----------------------------

Product

Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available

Components

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Toxicity to fish : Propylene glycol
96 h LC50: > 10,000 mg/l

triethanolamine
96 h LC50: 11,800 mg/l

Dodecylbenzenesulfonic Acid
96 h LC50 Fish: 5.07 mg/l

Dipropylene glycol methyl ether
96 h LC50 Fish: > 1,000 mg/l

Isopropyl Alcohol
96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

sodium metabisulphite
96 h LC50 Fish: 150 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : Propylene glycol
48 h EC50: 18,340 mg/l

triethanolamine
48 h EC50: 609.88 mg/l

Isopropyl Alcohol
LC50 Daphnia magna (Water flea): > 10,000 mg/l

Alcohol (C10), ethoxylated, propoxylated polymer
48 h EC50: 5.5 mg/l

Components

Toxicity to algae : Propylene glycol
96 h EC50: 19,000 mg/l

triethanolamine
72 h EC50: > 100 mg/l

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

Section: 15. REGULATORY INFORMATION

National regulatory information

Standard for the Uniform : Schedule 5
Scheduling of Medicines and
Poisons

The components of this product are reported in the following inventories:

United States TSCA Inventory :

not determined

Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

China Inventory of Existing Chemical Substances :

not determined

Taiwan Chemical Substance Inventory :

not determined

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

SAFETY DATA SHEET

CLEANSHOT FABRIC STAIN REMOVER

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date : 06.12.2020
Date of first issue : 16.11.2015
Version : 1.2
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.