

# Guardian Ultra

## Safety Data Sheet

VIRTUE+

1 300 255 546  
sales@virtueplus.com.au  
read: virtueplus.com.au  
shop: virtueplusorders.com.au





**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : GUARDIAN ULTRA  
 Other means of identification : Not applicable.  
 Recommended use : Machine Warewashing Detergent

Product dilution information : 0.1 % - 0.3 %

Company : ECOLAB PTY LTD  
 2 Drake Avenue  
 Macquarie Park, NSW Australia 2113  
 1 800 022 002

Emergency telephone number : 1800 205 506, +64 7 958 2372

Issuing date : 17.12.2020

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

**Product AS SOLD**

Corrosive to metals : Category 1  
 Skin corrosion/irritation : Category 1A  
 Serious eye damage/eye irritation : Category 1

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**GHS Label element**

**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.  
 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
 Keep only in original container. Wash skin thoroughly after handling.  
 Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe dusts or mists.  
**Response:**  
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Absorb

# SAFETY DATA SHEET

## GUARDIAN ULTRA

spillage to prevent material damage. Wash contaminated clothing before reuse.

**Storage:**

Store locked up. Store in corrosive resistant container with a resistant inner liner.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

### Product AT USE DILUTION

Precautionary Statements

: **Prevention:**

Wash hands thoroughly after handling.

**Response:**

Get medical advice/ attention if you feel unwell.

**Storage:**

Store in accordance with local regulations.

### Product AS SOLD

Other hazards

: Mixing this product with acid or ammonia releases chlorine gas.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Product AS SOLD

Pure substance/mixture

: Mixture

Chemical Name	CAS-No.	Concentration: (%)
sodium hydroxide	1310-73-2	10 - 30
sodium hypochlorite	7681-52-9	1 - 5

### Product AT USE DILUTION

No hazardous ingredients

## Section: 4. FIRST AID MEASURES

### Product AS SOLD

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed

: Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled

: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician

: Treat symptomatically.

# SAFETY DATA SHEET

## GUARDIAN ULTRA

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## Section: 5. FIREFIGHTING MEASURES

### Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Halogenated compounds  
metal oxides  
Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Hazchem Code : 2R

## Section: 6. ACCIDENTAL RELEASE MEASURES

### Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous

# SAFETY DATA SHEET

## GUARDIAN ULTRA

earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

### Product AS SOLD

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

### Product AT USE DILUTION

- Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Product AS SOLD

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Peak limit	2 mg/m <sup>3</sup>	AU OEL

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

- Eye protection : Safety goggles  
Face-shield

# SAFETY DATA SHEET

## GUARDIAN ULTRA

- Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Impervious gloves  
PVC  
Laminate film  
Nitrile  
Unsupported neoprene  
Natural rubber  
Neoprene/natural rubber blend  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.  
  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Product AT USE DILUTION

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection : No special protective equipment required.
- Skin protection : No special protective equipment required.
- Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.  
No personal respiratory protective equipment normally required.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: clear, light yellow	colourless
Odour	: Chlorine	slight
pH	: 13.5 - 13.8, (100 %)	9.0 - 11.0
Flash point	: Not applicable., Does not sustain combustion.	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and	: no data available	

## SAFETY DATA SHEET

### GUARDIAN ULTRA

boiling range

Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.21 - 1.215
Water solubility	: soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Mixing this product with acid or ammonia releases chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Metals Organic materials Acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides metal oxides Halogenated compounds Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

# SAFETY DATA SHEET

## GUARDIAN ULTRA

### Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

### Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

### Experience with human exposure

#### Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

#### Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

### Toxicity

#### Product AS SOLD

##### Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available



## SAFETY DATA SHEET

### GUARDIAN ULTRA

Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

#### Components

Acute oral toxicity : sodium hypochlorite  
LD50 rat: 5,230 mg/kg

#### Components

Acute dermal toxicity : sodium hypochlorite  
LD50 rabbit: > 10,000 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

#### Product AS SOLD

##### Ecotoxicity

Environmental Effects : Very toxic to aquatic life.

##### Product

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

#### Components

Toxicity to fish : sodium hypochlorite  
96 h EC50: 0.14 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : sodium hydroxide  
48 h EC50: 40 mg/l  
sodium hypochlorite  
48 h EC50: 0.071 mg/l

#### Persistence and degradability

##### Product AS SOLD

Poorly biodegradable

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

# SAFETY DATA SHEET

## GUARDIAN ULTRA

### Section: 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

#### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADG)

UN number : 1824  
Description of the goods : SODIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Hazchem Code : 2R

#### Sea transport (IMDG/IMO)

UN number : 1824  
Description of the goods : SODIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Marine pollutant : No

### Section: 15. REGULATORY INFORMATION

#### National regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6

**The components of this product are reported in the following inventories:**

#### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

## SAFETY DATA SHEET

### GUARDIAN ULTRA

On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**

On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**

On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

On the inventory, or in compliance with the inventory

**China Inventory of Existing Chemical Substances :**

On the inventory, or in compliance with the inventory

**Taiwan Chemical Substance Inventory :**

On the inventory, or in compliance with the inventory

### Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet  
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)  
IARC: (International Agency for Research on Cancer)  
US. National Toxicology Program (NTP) Report on Carcinogens  
ECHA List of Publishable Substances Registered  
EU HPVCs (High Production Volume Chemicals)

Issuing date : 17.12.2020  
Version : 1.1  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.