

# Creme Cleanser

## Safety Data Sheet

VIRTUE+

1 300 255 546  
sales@virtueplus.com.au  
read: virtueplus.com.au  
shop: virtueplusorders.com.au



←  
**FIND ALL  
SDS SHEETS  
ONLINE**



# Safety Data Sheet

## 1. SUBSTANCE IDENTIFICATION/ PREPARATION AND COMPANY DETAILS

**Product Name:** CREME CLEANSER

**Recommended use:** Non-abrasive cream cleanser.

**Supplier:** Stelco Chemicals International Pty Ltd  
**ACN:** 151 834 347

**Street Address:** 46 – 48 Henderson Road  
Rowville Vic 3178  
Australia

**Telephone:** +61 3 9757 3100  
**Facsimile:** +61 3 9763 8243

**Emergency Telephone Number:** 0412 318 882

## 2. HAZARDS IDENTIFICATION

Not classified as hazardous according to criteria of Safe Work Australia; NON-HAZARDOUS SUBSTANCE.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Code (ADG Code) for transport by road or rail.

**Poisons Schedule:** None allocated.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion
Calcium carbonate	471-34-1	< 50 %
Sodium hydroxide	1310-73-2	< 1%
Non hazardous component(s)	-	to 100%

## 4. FIRST AID MEASURES

### Description of first aid measures

**Inhalation:** Remove victim from area of exposure – avoid becoming a casualty. Seek medical advice if effects persist.

**Skin Contact:** If skin contact occurs, immediately remove contaminated clothing and wash skin thoroughly. If irritation occurs seek medical advice.

**Eye contact:** If in eyes, wash out immediately with water. In all cases of eye contamination, it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical advice.

### Symptoms caused by exposure



# Safety Data Sheet

Refer to section 2 and 11.

## Medical attention and special treatment

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Specific Hazards:** Non-Combustible material.

**Firefighting further advice:** Not combustible, however following evaporation of aqueous component residual material can burn if ignited. Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.

**Suitable extinguishing media:** Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination.

### **Environmental precautions:**

Avoid release to the environment.

### **Methods and materials for containment and cleaning up:**

Contain - prevent runoff into drains and waterways. Use absorbent (soil, sand, or other inert material). Collect and seal in properly labelled containers for disposal. Wash area down with excess water.

## 7. HANDLING AND STORAGE

**Handling advice:** Avoid eye contact.

**Storage:** Keep containers closed at all times – material will dry out if left open.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**National occupational exposure limits:** No value assigned for this specific material by the National Occupational Health and Safety Commission. However, Exposure Standard(s) for constituent(s):

Chemical name	CAS No.	TWA (ppm)	TWA (mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Advisory carcinogen category	Other advisory information
Sodium hydroxide	1310-73-2	-	2 Peak limitation	-	-	-	-
Calcium carbonate	471-34-1	-	10	-	-	-	-

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA – The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.



# Safety Data Sheet

Peak Limitation – a ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

STEL - a 15 minute time weighted average exposure limit which must not be exceeded at any time during an eight hour working day, even if the exposure during the full day is less than the TWA exposure standard. Exposures at the STEL must not be longer than 15 minutes and must not be repeated more than four times per day. There must be at least 60 minutes between successive exposures at the STEL.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

**Engineering measures:** None required for this product

**Personal protection equipment:** Gloves - short

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or reusing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Paste
<b>Colour:</b>	White
<b>Odour:</b>	Lemon
<b>Solubility:</b>	Dispersible in water.
<b>Specific Gravity:</b>	1.3-1.4 @ 20°C
<b>Flash Point (°C):</b>	Not applicable.
<b>pH (neat):</b>	7.0 – 8.0

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No information available.
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	None known.
<b>Conditions to avoid:</b>	Avoid contact with foodstuffs.
<b>Incompatible materials:</b>	None known.
<b>Hazardous decomposition products:</b>	Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:



# Safety Data Sheet

<b>Ingestion:</b>	No adverse effects expected, however, large amounts may cause nausea and vomiting.
<b>Eye contact:</b>	May be an eye irritant.
<b>Skin contact:</b>	No adverse effects expected from skin contact.
<b>Inhalation:</b>	Not considered an inhalation risk
<b>Long term effects:</b>	No information available for product.
<b>Toxicological Data:</b>	No LD50 data available for product. Average Toxicity Estimate (ATE mix, oral): >5,000 mg/kg Average Toxicity Estimate (ATE mix, dermal): >5,000 mg/kg
<b>Chronic effects:</b>	No information available for the product.
<b>Aspiration hazard:</b>	No information available.

## 12. ECOTOXICOLOGICAL INFORMATION

Avoid contaminating waterways.

## 13. DISPOSAL CONSIDERATIONS

Refer to State Land Waste Management Authority. Normally suitable for disposal at approved land waste site.

## 14. TRANSPORT INFORMATION

**Road and Rail Transport:** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by road or rail.

**Marine Transport:** Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**Air Transport:** Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

Not classified as hazardous according to criteria of Safe Work Australia

Poisons Schedule (Aust.): N/A - Not Applicable.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances.

## 16. OTHER INFORMATION

This Material Safety Data sheet has been prepared by Stelco Chemicals International Pty Ltd  
Issue Date: 08.06.2021  
Reason(s) for Issue: Five-year update.

Supersedes Issue Date: 11.07.2016

This MSDS summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the workplace. As each workplace is different each user must, prior to use, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification of further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.