# Lime-A-Way

Safety Data Sheet



1300 255 546 sales@virtueplus.com.au read: virtueplus.com.au shop: virtueplusorders.com.au









FIND ALL SDS SHEETS ONLINE



#### LIME-A-WAY

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : LIME-A-WAY

Other means of identification : Not applicable.

Recommended use : Delimer

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park, NSW Australia 2113

1 800 022 002

Emergency telephone

number

1800 205 506, +64 7 958 2372

Issuing date : 20.11.2020

#### **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Corrosive to metals
Skin corrosion/irritation
Serious eye damage/eye

irritation

: Category 1: Category 1B: Category 1

#### **GHS Label element**

Hazard pictograms



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/ protective

clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Absorb spillage to prevent material damage. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/

physician. Wash contaminated clothing before reuse.

Storage:

Store locked up. Store in a corrosion resistant container with a

resistant inner liner.

993519 1 / 8

#### LIME-A-WAY

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 Phosphoric acid
 7664-38-2
 10 - 30

 citric acid
 77-92-9
 5 - 10

 oxirane, methyl-, polymer with oxirane
 9003-11-6
 1 - 5

## **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Oxides of phosphorus

993519 2 / 8

## LIME-A-WAY

Special protective equipment

for firefighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2R

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use

only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : 0 °C to 45 °C

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	AU OEL
		STEL	3 mg/m3	AU OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

993519 3 / 8

#### LIME-A-WAY

Hand protection : Wear the following personal protective equipment:

> Standard glove type. Neoprene gloves

**PVC** 

Natural rubber

Nitrile

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable.

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

Colour : clear, green

Odour : slight

рΗ : 2.0, (100 %)

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : no data available Flammability (solid, gas) : Not applicable. Upper explosion limit : no data available Lower explosion limit : no data available : no data available Vapour pressure Relative vapour density : no data available

Relative density : 1.2 - 1.23 Water solubility : soluble

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

: no data available Auto-ignition temperature Thermal decomposition : no data available

## LIME-A-WAY

Viscosity, kinematic : no data available Explosive properties : no data available Oxidizing properties : no data available : no data available Molecular weight VOC : no data available

#### Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Metals

Organic materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Oxides of phosphorus

# Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin Causes severe skin burns.

Ingestion Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

## LIME-A-WAY

Acute oral toxicity : no data available Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Skin corrosion/irritation : no data available Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available STOT - single exposure : no data available

STOT - repeated exposure

: no data available

Aspiration toxicity

: no data available

Components

Acute oral toxicity : Phosphoric acid

LD50 rat: > 2,600 mg/kg

citric acid

LD50 rat: 11,700 mg/kg

Components

Acute inhalation toxicity : Phosphoric acid

4 h LC50 rat: 0.962 mg/lTest atmosphere: dust/mist

oxirane, methyl-, polymer with oxirane

4 h LD50 rat: 1 mg/lTest atmosphere: dust/mist

Components

Acute dermal toxicity : Phosphoric acid

LD50 rabbit: > 2,000 mg/kg

# **Section: 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : citric acid

96 h LC50 Fish: > 100 mg/l

#### LIME-A-WAY

oxirane, methyl-, polymer with oxirane

96 h LC50 Fish: > 100 mg/l

Components

Toxicity to daphnia and other : Phosphoric acid

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): > 100 mg/l

Components

Toxicity to algae : Phosphoric acid

72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

#### Persistence and degradability

Readily biodegradable.

## **Bioaccumulative potential**

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

: Where possible recycling is preferred to disposal or incineration. If Disposal methods

> recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

: Dispose of as unused product. Empty containers should be taken to Disposal considerations

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

#### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

**UN** number : 1805

Description of the goods : PHOSPHORIC ACID, SOLUTION

Class : 8 Packing group : 111 Hazchem Code : 2R

Sea transport (IMDG/IMO)

**UN** number : 1805

Description of the goods : PHOSPHORIC ACID SOLUTION

Class : 8 Packing group : 111 Marine pollutant No

#### Section: 15. REGULATORY INFORMATION

#### LIME-A-WAY

#### **National regulatory information**

Standard for the Uniform : Schedule 5

Scheduling of Medicines and

**Poisons** 

#### The components of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

not determined

# Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

#### **China Inventory of Existing Chemical Substances:**

On the inventory, or in compliance with the inventory

#### **Taiwan Chemical Substance Inventory:**

On the inventory, or in compliance with the inventory

# Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered

EU HPVCs (High Production Volume Chemicals)

Issuing date : 20.11.2020 Date of first issue : 09.12.2015

Version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

993519 8 / 8