

Airfresh Red

Safety Data Sheet







# VIRTUE+

## Safety Data Sheet according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

#### 1 Identification

**Product Name: AIRFRESH RED** 

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Fragrance composition.

**Details of Manufacturer or Importer:** 

Virtue Plus

13 Fawkner Avenue,

Kings Meadows, Tas, 7249

Phone Number: 03 6344 8400

Emergency telephone number: 1800 205 506, +64 7958 2372

#### 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flammable Liquids 2

H225 Highly flammable liquid and vapour.



Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### Signal Word Danger

#### **Hazard Statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### **Precautionary Statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

#### according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

**Product Name: AIRFRESH RED** 

(Contd. of page 1)

P370+P378	In case of fire: Use to extinguish: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

#### 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
CAS: 67-63-0	Propan-2-ol      Flammable Liquids 2, H225;    Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H336	25 - <50%	
CAS: 118-58-1	Benzyl salicylate  STOT SE 2, H371; Serious Eye Damage/Irritation 2A, H319; Skin Sensitisation 1, H317	0.1 - <1%	

#### **4 First Aid Measures**

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

#### **Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

#### **Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

#### **Symptoms Caused by Exposure:**

Inhalation: May cause drowsiness and dizziness. Skin Contact: No adverse health effects expected. Eye Contact: Causes serious eye irritation. Ingestion: No adverse health effects expected.

#### **5 Fire Fighting Measures**

#### Suitable Extinguishing Media:

Water fog, alcohol-resistant foam, ABC powder, dry chemical or carbon dioxide. Do not use full water jet.

#### **Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon.

Product is highly flammable.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

**Product Name: AIRFRESH RED** 

(Contd. of page 2)

#### 6 Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

#### 7 Handling and Storage

#### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge, Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Do not allow storage temperature to exceed 30 °C. Keep away from strong oxidising agents.

Recommended storage temperature: 5 - 25 °C.

Storage life: 3 years

#### 8 Exposure Controls and Personal Protection

### **Exposure Standards:**

CAS: 67-63-0 Propan-2-ol NES STEL: 1230 mg/m<sup>3</sup>, 500 ppm TWA: 983 mg/m<sup>3</sup>, 400 ppm

WES STEL: 1230 mg/m<sup>3</sup>. 500 ppm TWA: 983 mg/m<sup>3</sup>, 400 ppm

#### **Engineering Controls:**

Maintain air concentration below occupational exposure standards, providing adequate ventilation. Use explosion-proof ventilating equipment.

#### **Respiratory Protection:**

Respiratory protection is not required under normal use conditions.

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

#### Skin Protection:

Nitrile, neoprene or viton gloves. Do not use rubber or PVC gloves. See Australian/New Zealand Standard AS/ NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of

(Contd. on page 4)

#### according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

**Product Name: AIRFRESH RED** 

(Contd. of page 3)

the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### **Eve and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

#### 9 Physical and Chemical Properties

Appearance:

Form: Liquid Colour: Red

Odour: Product specific **Odour Threshold:** Not determined. pH-Value at 20 °C: 6 - 8 (100%)

Melting point/freezing point: No information available

**Initial Boiling Point/Boiling Range:** ~90 °C

17.5 °C (Closed Cup) **Flash Point:** Flammability: Highly flammable. No information available Auto-ignition Temperature: **Decomposition Temperature:** No information available

**Explosion Limits:** 

Lower: No information available Upper: No information available

Vapour Pressure: Not determined. Density at 20 °C: ~0.943 g/cm3 Vapour Density: Not determined. **Evaporation Rate:** Not determined Solubility in Water: Completely miscible Partition Coefficient (n-octanol/water): Not determined. Viscosity: Not determined VOC: 36 %

#### 10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon.

#### 11 Toxicological Information

#### **Toxicity:**

LD <sub>50</sub> /LC <sub>50</sub> Values Relevant for Classification:			
CAS: 67-63-0 Propan-2-ol			
Oral	LD <sub>50</sub>	5,045 mg/kg (rat)	
Dermal	LD <sub>50</sub>	12,800 mg/kg (rabbit)	
Inhalation	LC <sub>50</sub> /4 h	30 mg/l (rat)	
CAS: 118-58-1 Benzyl salicylate			
Oral	LD <sub>50</sub>	2,227 mg/kg (rat)	
		(Contd. on page 5	

(Contd. on page 5)

## Safety Data Sheet according to WHS Regulations

Revision: 05.04.2024

**Product Name: AIRFRESH RED** 

(Contd. of page 4)

#### **Acute Health Effects**

Printing date 05.04.2024

Inhalation: May cause drowsiness and dizziness.

Skin: No adverse health effects expected.

Eye: Causes serious eye irritation.

Ingestion: No adverse health effects expected.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

#### Carcinogenicity:

Isopropyl alcohol is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated and prolonged skin contact may lead to skin defatting and irritation.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

#### 12 Ecological Information

#### **Ecotoxicity:**

Aquatic to	Aquatic toxicity:		
CAS: 67-63-0 Propan-2-ol			
EC₅₀/48 h	100 mg/l (daphnia)		
EC₅₀/72 h	100 mg/l (scenedesmus subspicatus)		
LC₅₀/96 h	1,400 mg/l (bluegill)		
	9,640 mg/l (fathead minnow)		
LC <sub>50</sub> /48 h	8,970 mg/l (golden orfe)		

Persistence and Degradability: Readily biodegradable.

Bioaccumulative Potential: No further relevant information available.

**Mobility in Soil:** No further relevant information available.

Other adverse effects: No further relevant information available.

#### 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

(Contd. on page 6)

#### according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

**Product Name: AIRFRESH RED** 

(Contd. of page 5)

#### 14 Transport Information

**UN Number** 

ADG. IMDG. IATA UN1987

**Proper Shipping Name** 

ADG, IMDG, IATA ALCOHOLS, N.O.S. (Propan-2-ol)

**Dangerous Goods Class** 

ADG Class: 3 Flammable liquids.

Packing Group:

ADG, IMDG, IATA

EMS Number: F-E,S-D
Hazchem Code: •3YE
Special Provisions: 274
Limited Quantities: 1L

Packagings & IBCs - Packing Instruction: P001, IBC02

Portable Tanks & Bulk Containers - Instructions: T7

Portable Tanks & Bulk Containers - Special

**Provisions:** TP1, TP8, TP28

#### 15 Regulatory Information

# Australian Inventory of Chemical Substances: CAS: 67-63-0 Propan-2-ol CAS: 118-58-1 Benzyl salicylate

#### Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

#### 16 Other Information

Date of Preparation or Last Revision: 05.04.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds

VOC: Volatile Organic Compounds LC<sub>50</sub>: Lethal concentration, 50 percent

LD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids - Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation - Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. on page 7)

## Safety Data Sheet according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

**Product Name: AIRFRESH RED** 

(Contd. of page 6)

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Virtue Plus makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.