

Airfresh White Musk

Safety Data Sheet

Phone: 1300 255 546 Email: sales@virtueplus.com.au Connect online @ Virtue Plus

f in O



VIRTUE +

Printing date 05.04.2024

Safety Data Sheet

according to WHS Regulations

Revision: 05.04.2024

1 Identification

Product Name: AIRFRESH WHITEMUSK

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Fragrance composition.

Details of Manufacturer or Importer: Virtue Plus 13 Fawkner Avenue, Kings Meadows, Tas, 7249

Phone Number: 03 6344 8400

Emergency telephone number: 1800 205 506, +64 7958 2372

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flammable Liquids 2	H225 Highly flammable liquid and vapour.
· · · · · · · · · · · · · · · · · · ·	



Serious Eye Damage/Irritation 2A H319		H319	Causes serious eye irritation.	
STOT SE 3		H336	May cause drowsiness or dizziness.	
	Aquatic Acute 3	H402	Harmful to aquatic life.	
	Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.	
	Signal Word Danger			

Hazard Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Page 2/7

Safety Data Sheet according to WHS Regulations

Printing date 05.04.2024

Revision: 05.04.2024

Product Name: AIRFRESH WHITEMUSK

(Contd. of page 1)

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Corr	Hazardous Components:			
CAS: 67-63-0	Propan-2-ol Flammable Liquids 2, H225; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H336	25 - <50%		
CAS: 1222-05-5	Abbalide � Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1 - <0.25%		
CAS: 1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid) Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1 - <0.25%		
A Eirot Aid Maggurga				

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause drowsiness and dizziness. Skin Contact: No adverse health effects expected. Eye Contact: Causes serious eye irritation. Ingestion: No adverse health effects expected.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, alcohol-resistant foam, ABC powder, dry chemical or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon.

Product is highly flammable.

Page 3/7

Safety Data Sheet

according to WHS Regulations

Printing date 05.04.2024

Product Name: AIRFRESH WHITEMUSK

Revision: 05.04.2024

(Contd. of page 2) e beat. Containers close to fire should be removed if

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Do not allow storage temperature to exceed 30 °C. Keep away from strong oxidising agents.

Recommended storage temperature: 5 - 25 °C. Storage life: 3 years

R Exposure Controls and Personal

8 Exposure Controls and Personal Protection			
Exposure Standards:			
CAS	67-63-0 Propan-2-ol		
NES	S STEL: 1230 mg/m³, 500 ppm TWA: 983 mg/m³, 400 ppm		
WE	S STEL: 1230 mg/m³, 500 ppm TWA: 983 mg/m³, 400 ppm		

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation. Use explosion-proof ventilating equipment.

Respiratory Protection:

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile, neoprene or viton gloves. Do not use rubber or PVC gloves. See Australian/New Zealand Standard AS/ NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Page 4/7

Safety Data Sheet according to WHS Regulations

Printing date 05.04.2024

Revision: 05.04.2024

Product Name: AIRFRESH WHITEMUSK

(Contd. of page 3)

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	Transparent
Odour:	Alcohol-like
Odour Threshold:	No information available
pH-Value:	6 - 8
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	18 °C
Flammability:	Highly flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Density at 20 °C:	~0.95 g/cm³
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Not determined
Partition Coefficient (n-octanol/water):	Not determined
Viscosity:	Not determined
VOC:	35 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon.

11 Toxicological Information

Toxicity:

LD ₅₀ /LC ₅₀	LD ₅₀ /LC ₅₀ Values Relevant for Classification:		
CAS: 67-6	an-2-ol		
Oral	LD_{50}	5,045 mg/kg (rat)	
Dermal	LD_{50}	12,800 mg/kg (rabbit)	
Inhalation	LC₅₀/4 h	30 mg/l (rat)	
		(Contd. on page 5)	

Safety Data Sheet

according to WHS Regulations

Printing date 05.04.2024

Product Name: AIRFRESH WHITEMUSK

(Contd. of page 4)

Revision: 05.04.2024

Acute Health Effects

Inhalation: May cause drowsiness and dizziness.Skin: No adverse health effects expected.Eye: Causes serious eye irritation.Ingestion: No adverse health effects expected.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Isopropyl alcohol is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated or prolonged skin exposure may cause de-fatting of the skin leading to irritation. High concentrations of vapour may cause a narcotic effect.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 67-63-0 Propan-2-ol

EC₅₀/48 h	100 mg/l (daphnia)
EC₅₀/72 h	100 mg/l (scenedesmus subspicatus)
LC₅₀/96 h	1,400 mg/l (bluegill)
	9,640 mg/l (fathead minnow)
LC₅₀/48 h	8,970 mg/l (golden orfe)

Persistence and Degradability: Readily biodegradable.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

Safety Data Sheet

according to WHS Regulations

Printing date 05.04.2024

Product Name: AIRFRESH WHITEMUSK

Revision: 05.04.2024

(Contd. of page 5)

14 Transport Information		
UN Number ADG, IMDG, IATA	UN1987	
Proper Shipping Name ADG, IMDG, IATA	ALCOHOLS, N.O.S. (Propan-2-ol)	
Dangerous Goods Class ADG Class:	3 Flammable liquids.	
Packing Group: ADG, IMDG, IATA	II	
EMS Number:	F-E,S-D	
Hazchem Code:	•3YE	
Special Provisions:	274	
Limited Quantities:	1L	
Packagings & IBCs - Packing Instruction:	P001, IBC02	
Portable Tanks & Bulk Containers - Instruction	ns: ⊺7	
Portable Tanks & Bulk Containers - Special Provisions:	TP1, TP8, TP28	
15 Regulatory Information	11 1, 11 0, 11 20	

15 Regulatory Information

Australian Inventory of Chemical Substances:CAS: 67-63-0Propan-2-olCAS: 1222-05-5AbbalideCAS: 1506-02-11-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

www.msds.com.au

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Not Scheduled.

16 Other Information

Date of Preparation or Last Revision: 05.04.2024

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

 LC_{50} : Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Page 6/7

Safety Data Sheet according to WHS Regulations

Printing date 05.04.2024

Product Name: AIRFRESH WHITEMUSK

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Virtue Plus makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Revision: 05.04.2024

(Contd. of page 6)