

Airfresh Yellow

Safety Data Sheet







VIRTUE+

Safety Data Sheet according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

1 Identification

Product Name: AIRFRESH YELLOW

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Fragrance composition.

Details of Manufacturer or Importer:

Virtue Plus

13 Fawkner Avenue,

Kings Meadows, Tas, 7249

Phone Number: 03 6344 8400

Emergency telephone number: 1800 205 506, +64 7958 2372

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



flame

Flammable Liquids 2 H225 Highly flammable liquid and vapour.



Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

Product Name: AIRFRESH YELLOW

1)

	(Contd. of page 1)
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 67-63-0	Propan-2-ol	25 - <50%
	♦ Flammable Liquids 2, H225; ♦ Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H336	
CAS: 18479-58-8		1 - <10%
	♦ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; Flammable Liquids 4, H227	
CAS: 32388-55-9	Acetyl cedrene	0.25 - <1%
	♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 138-86-3	Cyclohexene, 1-methyl-4-(1-methylethenyl)-	0.25 - <1%
	♦ Flammable Liquids 3, H226; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause drowsiness and dizziness. Skin Contact: No adverse health effects expected. Eye Contact: Causes serious eye irritation. Ingestion: No adverse health effects expected.

(Contd. on page 3)

according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

Product Name: AIRFRESH YELLOW

(Contd. of page 2)

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, alcohol-resistant foam, ABC powder, dry chemical or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon.

Product is highly flammable.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Do not allow storage temperature to exceed 30 °C. Keep away from strong oxidising agents.

Recommended storage temperature: 5 - 25 °C.

Storage life: 3 years

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 67-63-0 Propan-2-ol

NES STEL: 1230 mg/m³, 500 ppm TWA: 983 mg/m³, 400 ppm WES STEL: 1230 mg/m³, 500 ppm

TWA: 983 mg/m³, 400 ppm

Engineering Controls: Ensure adequate ventilation of the working area.

(Contd. on page 4)

according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

Product Name: AIRFRESH YELLOW

(Contd. of page 3)

Respiratory Protection:

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile, neoprene or viton gloves. Do not use rubber or PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eve and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid Colour: Yellow

Odour: Product specific
Odour Threshold: Not determined
pH-Value at 20 °C: 6.0 - 8.0 (100%)

Melting point/freezing point: No information available

Initial Boiling Point/Boiling Range: ~90 °C

Flash Point:

Flammability:

Auto-ignition Temperature:

Decomposition Temperature:

16 °C (Closed Cup)

Highly flammable.

Not determined

Not determined.

Explosion Limits:

Lower: No information available Upper: No information available

Vapour Pressure:

Density at 20 °C:

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

Not determined.

Not determined.

Completely miscible

Viscosity: No information available

VOC: 37 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon.

(Contd. on page 5)

according to WHS Regulations

Product Name: AIRFRESH YELLOW

(Contd. of page 4)

Revision: 05.04.2024

11 Toxicological Information

Toxicity:

Printing date 05.04.2024

LD ₅₀ /LC ₅₀	LD ₅₀ /LC ₅₀ Values Relevant for Classification:	
CAS: 67-6	3-0 Prop	an-2-ol
Oral	LD ₅₀	5,045 mg/kg (rat)
Dermal	LD ₅₀	12,800 mg/kg (rabbit)
Inhalation	LC₅₀/4 h	30 mg/l (rat)

Acute Health Effects

Inhalation: May cause drowsiness and dizziness.

Skin: No adverse health effects expected.

Eye: Causes serious eye irritation.

Ingestion: No adverse health effects expected.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Isopropyl alcohol is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated or prolonged skin exposure may cause de-fatting of the skin leading to irritation.

High concentrations of vapour may cause a narcotic effect.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

riammar to aquato me mar iong lacting energic			
CAS: 67-6	63-0 Propan-2-ol		
EC₅₀/48 h	100 mg/l (daphnia)		
EC₅₀/72 h	100 mg/l (scenedesmus subspicatus)		
LC₅₀/96 h	1,400 mg/l (bluegill)		
	9,640 mg/l (fathead minnow)		
LC ₅₀ /48 h	8,970 mg/l (golden orfe)		

Persistence and Degradability: Readily biodegradable.

according to WHS Regulations

Printing date 05.04.2024 Revision: 05.04.2024

Product Name: AIRFRESH YELLOW

(Contd. of page 5)

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN1987

Proper Shipping Name

ADG, IMDG, IATA ALCOHOLS, N.O.S. (Propan-2-ol)

Dangerous Goods Class

ADG Class: 3 Flammable liquids.

Packing Group:

ADG, IMDG, IATA

EMS Number: F-E,S-D
Hazchem Code: •3YE
Special Provisions: 274
Limited Quantities: 1L

Packagings & IBCs - Packing Instruction: P001, IBC02

Portable Tanks & Bulk Containers - Instructions: T7

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP8, TP28

15 Regulatory Information

Australian Invent	Australian Inventory of Chemical Substances:	
CAS: 67-63-0	Propan-2-ol	
CAS: 18479-58-8	Dihydromyrcenol	
CAS: 32388-55-9	Acetyl cedrene	
CAS: 138-86-3	Cyclohexene, 1-methyl-4-(1-methylethenyl)-	

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

16 Other Information

Date of Preparation or Last Revision: 05.04.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

Safety Data Sheet according to WHS Regulations

Product Name: AIRFRESH YELLOW

(Contd. of page 6)

Revision: 05.04.2024

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

Printing date 05.04.2024

IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Flammable Liquids 2: Flammable liquids - Category 2

Flammable Liquids 3: Flammable liquids - Category 3

Flammable Liquids 4: Flammable liquids – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation - Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Virtue Plus makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.