

Closol

Safety Data Sheet











Safety Data Sheet according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

1 Identification

Product Name: CLOSOL

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Sanitary cleaner

Details of Manufacturer or Importer:

Virtue Plus

13 Fawkner Avenue,

Kings Meadows, Tas, 7249

Phone Number: 03 6344 8400

Emergency telephone number: 1800 205 506, +64 7958 2372

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Safety Data Sheet

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: CLOSOL

(Contd. of page 1)

Hazardous Components:		
CAS: 7681-38-1	Sodium hydrogensulphate	≥50%
	♦ Serious Eye Damage/Irritation 1, H318	
CAS: 5329-14-6		10 - <25%
	Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; Aquatic Chronic 3, H412	
CAS: 77-92-9	Citric acid	1 - <10%
	Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Inaestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: No information available.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use fire extinguishing methods suitable to surrounding conditions. Do not use full water jet.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

according to WHS Regulations

Product Name: CLOSOL

Printing date 01.06.2024

(Contd. of page 2)

Revision: 01.06.2024

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Rinse spill area with plenty of water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures and excessive moisture. Do not store above 30°C.

Recommended storage temperature: 5 - 25 °C.

Storage life: 3 years

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Natural latex or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eve and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Powder
Colour: Yellowish
Odour: Product specific

Odour Threshold: No information available

pH-Value (100 g/l) at 20 °C: 2

Melting point/freezing point:
Initial Boiling Point/Boiling Range:

Flash Point:

Not determined
Not applicable
>100 °C

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: CLOSOL

(Contd. of page 3)

Flammability: Product is not flammable.

Auto-ignition Temperature: Not determined Not determined Not determined

Explosion Limits:

Not determined Lower: Upper: Not determined Vapour Pressure: Not applicable Not determined. Density: Vapour Density: Not determined **Evaporation Rate:** Not determined Solubility in Water: Completely miscible Partition Coefficient (n-octanol/water): Not determined Not determined Viscosity:

VOC: 0 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures and excessive moisture. **Incompatible Materials:** No further relevant information available.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:

LD ₅₀ /	D ₅₀ /LC ₅₀ Values Relevant for Classification:		
CAS: 7681-38-1 Sodium h		1 Sodium hydrogensulphate	
Oral	LD ₅₀	2,490 mg/kg (rat)	
CAS	CAS: 5329-14-6 Sulfamic acid		
Oral	LD ₅₀	3,160 mg/kg (rat)	
CAS	CAS: 77-92-9 Citric acid		
Oral	LD ₅₀	5,040 mg/kg (mouse)	
		11,700 mg/kg (rat)	
	LD_{50}	5,500 mg/kg (rat) (subcutaneous)	
	LC₅₀/96 h	440-706 mg/l (fish)	

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation.

Eye: Causes serious eye damage. **Ingestion:** No information available

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: CLOSOL

(Contd. of page 4)

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 77-92-9 Citric acid

 $EC_{5o}/48 \text{ h}$ | 10,000 mg/l (bacterial) $EC_{5o}/72 \text{ h}$ | 120 mg/l (daphnia) $LC_{5o}/96 \text{ h}$ | 440-760 mg/l (golden orfe)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

15 Regulatory Information

	Australian Inventory of Chemical Substances:	
ľ	CAS: 7681-38-1	Sodium hydrogensulphate
ľ	CAS: 5329-14-6	Sulfamic acid
	CAS: 77-92-9	Citric acid
		(0.11

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: CLOSOL

(Contd. of page 5)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 12.04.2019

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1 Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Virtue Plus makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.