

Integral Clean

Safety Data Sheet









Safety Data Sheet according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

1 Identification

Product Name: INTEGRAL CLEAN

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Concentrated Cleaner.

Details of Manufacturer or Importer:

Virtue Plus 13 Fawkner Ave,

Kings Meadows TAS 7249

Phone Number: (03) 6344 8400

Emergency telephone number: 1800 205 506, +64 7958 2372

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Skin Corrosion/Irritation 1A H314 Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary Statements

P260 Do not breathe dusts or mists.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISON CENTER/doctor P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: INTEGRAL CLEAN

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 1310-73-2	Sodium hydroxide	25 - <50%
	Skin Corrosion/Irritation 1A, H314; () STOT SE 3, H335	
CAS: 10213-79-3	Sodium metasilicate pentahydrate	10 - <20%
	Corrosive To Metals 1, H290; Skin Corrosion/Irritation 1B, H314; Acute Toxicity (Oral) 4, H302; STOT SE 3, H335	
CAS: 29329-71-3	Phosphonic acid, (1-hydroxyethylidene)bis-, sodium salt	1 - <10%
	♦ Acute Toxicity (Oral) 4, H302; Serious Eye Damage/Irritation 2A, H319	
CAS: 497-19-8	Sodium carbonate	1 - <10%
	Serious Eye Damage/Irritation 1, H318; 🗘 STOT SE 3, H335	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation, shortness of breath and coughing.

Skin Contact: Causes severe skin burns. Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation and nausea.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, foam, ABC powder or carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

Product is not flammable.

Containers close to fire should be removed if safe to do so.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: INTEGRAL CLEAN

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Rinse spill area with plenty of water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust, mist or vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from extreme heat or cold and atmospheric moisture. Keep away from acids and oxidising agents. Corrosive to metals.

Store in areas with alkaline-resistant floors.

Do not store in aluminium or zinc containers. Use stainless steel containers.

Recommended storage temperature: 5 - 25 °C.

Storage life: 3 years.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 1310-73-2 Sodium hydroxide

WES Peak limitation: 2 mg/m³

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Butyl rubber or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: INTEGRAL CLEAN

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Compact mass

Colour: White to cream coloured.

Odour: Product specific

Odour Threshold: No information available

pH-Value at 20 °C: ≤14

Strongly alkaline

Melting point/freezing point:
Initial Boiling Point/Boiling Range:
Flash Point:

Not applicable
Not applicable
>200 °C

Flammability: Product is not flammable.

Auto-ignition Temperature: Not applicable

Decomposition Temperature: No information available

Explosion Limits:

Lower:
Upper:
Vapour Pressure:
Density:
Vapour Density:
Vapour Density:
Vapour Density:
Vapour Density:
Vapour Density:
Solubility in Water:
Not applicable
Soluble

Partition Coefficient (n-octanol/water): No information available

Viscosity: Not determined

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme heat or cold and atmospheric moisture.

Incompatible Materials: Acids and oxidising agents. Corrosive to metals.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:

LD ₅₀ /LC ₅₀	LD ₅₀ /LC ₅₀ Values Relevant for Classification:			
CAS: 1310-73-2 Sodium hydroxide				
Oral	LD ₅₀	2000 mg/kg (rat)		
CAS: 10213-79-3 Sodium metasilicate pentahydrate				
Oral	LD ₅₀	847 mg/kg (rat)		
Dermal	LD ₅₀	>5000 mg/kg (rat)		
Inhalation	LC ₅₀	>2060 mg/m³ (rat)		

(Contd. on page 5)

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: INTEGRAL CLEAN

(Contd. of page 4)

CAS: 497-19-8 Sodium carbonate
Oral LD₅₀ 4090 mg/kg (rat)

Acute Health Effects

Inhalation: May cause respiratory irritation, shortness of breath and coughing.

Skin: Causes severe skin burns. **Eye:** Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation and nausea.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

CAS: 1310-73-2 Sodium hydroxide

 $LC_{50}/96 \text{ h}$ 35 - 189 mg/l (fish) $EC_{50}/48 \text{ h}$ 40.4 mg/l (daphnia)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA

according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: INTEGRAL CLEAN

(Contd. of page 5)

Proper Shipping Name

ADG, IMDG, IATA SODIUM HYDROXIDE, SOLID

Dangerous Goods Class

ADG Class: 8 Corrosive substances.

Packing Group:

ADG, IMDG, IATA

EMS Number: F-A,S-B

Hazchem Code: 2W
Limited Quantities: 1 kg

Packagings & IBCs - Packing Instruction: P002, IBC08

Packagings & IBCs - Special Packing Provisions: B2, B4

Portable Tanks & Bulk Containers - Instructions: T3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

15 Regulatory Information

Australian Inventory of Chemical Substances:		
CAS: 1310-73-2	Sodium hydroxide	
CAS: 29329-71-3	Phosphonic acid, (1-hydroxyethylidene)bis-, sodium salt	
CAS: 497-19-8	Sodium carbonate	

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 20.09.2018

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Corrosive To Metals 1: Corrosive to metals – Category 1 Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion/Irritation 1B: Skin corrosion/irritation - Category 1B

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1 Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Printing date 01.06.2024 Revision: 01.06.2024

Product Name: INTEGRAL CLEAN

(Contd. of page 6)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Virtue Plus makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.