

Nilotron Full Release Fogger

Safety Data Sheet







MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Nilotron Full Release Deodorizing Fogger

GENERAL USE: Deodorizing Air Care

UN1950, Aerosols, flammable, Class 2.1, LTD QTY

Compressed, gas

Manufacturers Name: Nilodor Inc. DATE PREPARED: 01.06.2024 SUPERSEDES: Page 1 of 4 10966 Industrial Parkway 1-330-874-1017 CHEMTEL EMERGENCY TELEPHONE NUMBER Bolivar, OH 44612 USA North America: 1-800-255-3924 International: +01-813-248-0585 DISTRIBUTOR'S NAME: ESG ASIA PACIFIC ADDRESS (NUMBER, STREET, P.O. BOX) 8/18 TELEPHONE NUMBER FOR INFORMATION Sir Joseph Banks Drive PH+61-29525-5102 (CITY, STATE AND ZIP CODE) DISTRIBUTOR EMERGENCY TELEPHONE NUMBER COUNTRY Kurnell, NSW, 2231 Not Provided Australia

SECTION 2 - HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW

Steel can with liquid under pressurized compressed gas H280 Contains gas under pressure may explode if heated Class 2.1 Flammable Gas





POTENTIAL HEALTH EFFECTS: May be a mild irritant due to fragrance, no ecological hazards known.

INHALATION: May be a mild irritant if sensitivity to fragrance.

SKIN: Direct and repeated exposure can irritate H315

EYES: Direct exposure can irritate H319

INGESTION: Not expected to be a problem, some mild discomfort

CARCINOGENICITY NO NTP NO IARC MONOGRAPHS NO OSHA REGULATED NO

SECTION 3 - HAZARDS INGREDIENTS					
Hazarous Components	% (by Weight)	Cas #	EINECS#		
Propane	3-7	74-98-6	200-827-9		
Isobutane	15-30	75-28-5			
Fragrance	1-3	None	Not Listed		
Acetone	40-70	67-64-1	200-662-2		

Notes: Product is classified as ORMD Consumer Commodity for GROUND

Air / Ocean: UN1950, Aerosols, flammable, Class 2.1, LTD QTY

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Nilotron Full Release Deodorizing Fogger

Date: 01.06.2024 Page 2 of 4

SECTION 4 - FIRST AID MEASURES

Use good personal hygiene practices. If skin contact should occur, material should be washed away with a mild soap and water. Wash hands and other exposed areas thoroughly before eating, drinking, smoking or using toilet facilities. Do not smoke, drink or eat in areas where this product is stored or handled. For extensive scale or contamination removal, the following precautions should be taken: the work area shouldbe well-ventilated and access should be restricted, surface contaminants should be kept wet, plastic ground cover should be used to contain contaminants and facilitate clean-up, and high efficiency particulate respirators should be worn unless concentrations are not expected to exceed limits established. Suitable coveralls and gloves should be worn and contaminated protective equipment and clothing should be decontaminated or disposed of.

INHALATION: Remove to fresh air P304, P340

EYES: Flush eyes with copious amounts of water, holding lids open, if irritation persists, consult a physician. P305,

P313, P337, P338, P351

SKIN: Wash with soap and water P302, P352, P313

INGESTION: Give water / milk to drink if conscious. P270, P330

SECTION 5-FIRE FIGHTING MEASURES

GENERAL HAZARDS: None Known

EXTINGUISHING MEDIA: Water, foam, carbon dioxide, dry chemical

FIRE FIGHTING PROCEDURES: As for surrounding fire

UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen, and sulfur

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep away from skin and eyes, keep out of surface waters, gather up scattered cans after any discharging, and dispose.

SECTION 7-HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Take reasonable care, do not puncture cans, keep away from skin, eyes, food, and beverages. Wash hands after use. Keep containers closed and stored at ambient conditions (5-50 C / 40-120 F) P270, P264, P261, P410, P403.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION								
HAZARDOUS	NIOSH							
COMPONENTS	TWA ppm	TWA		STEL mg/m3				
		mg/m3						
Propane	TLV1000		Asphyxiant					
Isobutane	1000		Asphyxiant					
Acetone	500	='	5800mg/kg	•		•	-	•

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Nilotron Full Release Deodorizing Fogger

Date: 01.06.2024 Page 3 of 4

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: Not normally necessary

PROTECTIVE GLOVES: Rubber or protective gloves if handling in large quantities P280					
EYE PROTECTION: Goggles if handling in large quantities P280					
OTHER PROTECTIVE CLOTHING OR	EQUIPMENT: Not	required			
MODIC / INCIENTO DE ACTIONO IC		D076			
WORK / HYGIENIC PRACTICES: Keep	out of food and be	everages P270)		
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES					
APPEARANCE AND ODOR Liquid /com steel can, odor dependent on description		VAPOR PRESSURE As Water			
pH Not Applicable		SPECIFIC GRAVITY (WATER = 1) Not Applicable			
BOILING POINT / BOILING RANGE Not Applicable		SOLUBILITY IN WATER Partially Soluble			
FLASH POINT Cans will burst over 55 C		VISCOSITY As Water			
FLAMMABLE LIMITS Not Determined LEL: UEL:		VAPOR DENSITY (AIR = 1) Not Determined			
AUTOIGNITION TEMPERATURE Not Determined		EVAPORATION RATE (WATER = 1) As Water			
S	SECTION 10 - STA	BILITY AND	REACTIVITY		
STABILITY X UNSTABLE	CONDITIONS TO AVOID: None Known				
INCOMPATIBILITY (MATERIALS TO AVOID): None Known, avoid temperatures > 55C and open flame.					
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None Known					
HAZARDOUS POLYMERIZATION MAY OCCUR: NO CONDITIONS TO AVOID: None Known					
SECTION 11 - TOXICOLOGICAL INFORMATION					
Hazardous Components	CAS # EINECS		LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)	
Propane	74-98-6		Asphyxiant		
Isobutane	75-28-5		Asphyxiant		
Acetone	67-64-1	ı	5800mg/kg		
	SECTION 12 - ECO	DLOGICAL IN	NFORMATION		

Ecotoxicity- None Known, Degradability- Biodegradable, Bioaccumulation- None Known, Mobility in Environment-Not determined

SECTION 13 - DISPOSAL CONSIDERATIONS						
WASTE DISPOSAL METHOD: Dispose according to Federal, State, or Local Regulations, P501						
MATERIAL SAFETY DATA SHEET						
PRODUCT NAME: Nilotron Full Release Deodorizing Fogger						
Date: 01.06.2024 Page 4 of 4						
SECTION 14 - TRANSPORT INFORMATION						

PROPER SHIPPING NAME:Consumer Commodity ORMD

DOT CLASS / Pack Group: ORMD

REFERENCE: 49 CFR

UN / NA IDENTIFICATION NUMBER: UN 1950

LABEL: Aerosols, Flammable

HAZARD SYMBOLS: LTD QTY

IATA HAZARD CLASS / Pack Group: No Packing Group

IMDG HAZARD CLASS: 2.1 RID/ADR Dangerous Goods Code: NA

UN TDG Class / Pack Group: NA

Hazard Identification Number (HIN): UN1950

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act) INCLUDED

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act) NO REPORTABLES California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 NO SUBSTANCES PRESENT DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List) INCLUDED EINECS (European Inventory of Existing Commercial Chemical Substances) NA

WGK Water Quality Index: NA

	SECTION 16 - OTHER INF	OPMATION	
Ths substance has no schedule number alloted due to NO Poisons		ORMATION	
HMIS HAZARD RATINGS REVISION SUMMARY:	HEALTH: FLAMMABILITY: PHYSICAL HAZARD: PERSONAL PROTECTIVE EQUIPMENT:	2 4 0 B	0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME
MSDS Prepared by: KAB (Nilodor Tech	nical)		

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any guestions regarding this product should be directed to the manufacturer of the product as described in Section 1