# Solid Surge Plus

## Safety Data Sheet

# VIRTUE+

1300 255 546 sales@virtueplus.com.au read: virtueplus.com.au shop: virtueplusorders.com.au





### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	SOLID SURGE PLUS
Other means of identification	:	Not applicable.
Recommended use	:	Laundry detergent
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	0.05 % - 0.11 %
Company	:	ECOLAB PTY LTD 2 Drake Avenue Macquarie Park, NSW Australia 2113 1 800 022 002
Emergency telephone number	:	1800 205 506, +64 7 958 2372
Issuing date	:	01.06.2024

### Section: 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Product AS SOLD	
Skin corrosion/irritation	: Category 1A
Serious eye damage/eye irritation	: Category 1

### Product AT USE DILUTION

Not a hazardous substance or mixture.

### **GHS Label element**

GHS Label element		
Product AS SOLD Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	Causes severe skin burns and eye damage.
Precautionary Statements		Prevention: Wash skin thoroughly after handling. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Wash contaminated clothing before reuse. Storage: Store locked up. Disposal: Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION Precautionary Statements	Wash ha <b>Respon</b> s Get med <b>Storage</b>	Prevention: Wash hands thoroughly after handling. Response: Get medical advice/ attention if you feel unwell. Storage: Store in accordance with local regulations.		
Product AS SOLD Other hazards	: None kn	own.		
Section: 3. COMPOSITION/IN	FORMATIO	N ON INGREDIENTS		
Product AS SOLD Pure substance/mixture	: Mixture			
<b>Chemical Name</b> sodium hydroxide alcohols, c12-16, ethoxylated		<b>CAS-No.</b> 1310-73-2 68551-12-2	<b>Concentration: (%)</b> 30 - 60 10 - 30	
Product AT USE DILUTION				
No hazardous ingredients				
Section: 4. FIRST AID MEAS	URES			
<b>Product AS SOLD</b> In case of eye contact	least 15	mediately with plenty of water, minutes. Remove contact lens e rinsing. Get medical attention	es, if present and easy to do.	
In case of skin contact	a mild so	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.		
If swallowed		the Poison's Information Centr 0800 764 766).	e (eg Australia 13 1126; New	
	anything	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.		
If inhaled		Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.		
Protection of first-aiders	•	If potential for exposure exists refer to Section 8 for specific personal protective equipment.		
Notes to physician	: Treat syr	mptomatically.		
Most important symptoms and effects, both acute and delayed		See Section 11 for more detailed information on health effects and symptoms.		
Product AT USE DILUTION In case of eye contact	: Rinse wi	th plenty of water.		

SOLID SURGE PLUS	
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).
	Rinse mouth with water.
If inhaled	: Get medical attention if symptoms occur.

### Section: 5. FIREFIGHTING MEASURES

Product AS SOLD Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides metal oxides
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Hazchem Code	: 2W
Section: 6. ACCIDENTAL RE	LEASE MEASURES
<b>Product AS SOLD</b> Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Personal precautions, protective equipment and	spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures
Personal precautions, protective equipment and emergency procedures	spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

F

SOLID SURGE PLUS		
Environmental precautions	: Do not allow contact with soil, surface or ground water.	
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with no combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does reach a waterway. Do not flush into surface water or sanitary sewer system.	s not

### Section: 7. HANDLING AND STORAGE

<b>Product AS SOLD</b> Advice on safe handling	Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Us only with adequate ventilation. Wash hands thoroughly after handlin Do not get in eyes, on skin, or on clothing.	
Conditions for safe storage	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.	n
Storage temperature	-30 °C to 50 °C	
<b>Product AT USE DILUTION</b> Advice on safe handling	Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Us only with adequate ventilation. Wash hands thoroughly after handlin Do not get in eyes, on skin, or on clothing.	
Conditions for safe storage	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.	n

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Product AS SOLD

### Components with workplace control parameters

		-			
Components	CAS-No.	Form of exposure	Permissible concentration	Basis	
sodium hydroxide	1310-73-2	Peak limit	2 mg/m3	AU OEL	
Engineering measures		e exhaust ventila ccupational expo	tion system. Maintain a sure standards.	air concentrations	
Personal protective equi	pment				
Eye protection		Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.			
Hand protection		Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.			
Skin protection		Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.			
Respiratory protection		Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.			
		Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.			

Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	
Product AT USE DILUTION		
Engineering measures :	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.	
Personal protective equipment		
Eye protection :	No special protective equipment required.	
Hand protection :	No special protective equipment required.	
Skin protection :	No special protective equipment required.	
Respiratory protection :	No personal respiratory protective equipment normally required. Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.	

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

		Product AS SOLD	Product AT USE DILUTION
Appearance	:	Cast Solid	liquid
Colour	:	opaque, yellow	colourless
Odour	:	Perfumes, fragrances	Perfumes, fragrances
рН	:	11.8 - 13.0, (1 %)	10.8 - 12.2
Flash point	:	Not applicable.	
Odour Threshold	:	no data available	
Melting point/freezing point	:	no data available	
Initial boiling point and boiling range	:	> 100 °C	
Evaporation rate	:	no data available	
Flammability (solid, gas)	:	no data available	
Upper explosion limit	:	no data available	
Lower explosion limit	:	no data available	
Vapour pressure	:	no data available	
Relative vapour density	:	no data available	
Relative density	:	1.45 - 1.55	
Water solubility	:	insoluble	
Solubility in other solvents	:	no data available	
Partition coefficient: n- octanol/water	:	no data available	
Auto-ignition temperature	:	no data available	
Thermal decomposition	:	no data available	

:	no data available
:	no data available
	::

### Section: 10. STABILITY AND REACTIVITY

Product AS SOLD Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	Acids Metals
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides metal oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Eye contact, Skin contact
exposure		

### Potential Health Effects

Product AS SOLD Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Product AT USE DILUTION Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

### Experience with human exposure

### Product AS SOLD Eye contact

act : Redness, Pain, Corrosion

Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough
Product AT USE DILUTION	
Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
Toxicity	
Product AS SOLD Product	
Acute oral toxicity	: Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available
Components	
Acute dermal toxicity	: alcohols, c12-16, ethoxylated LD50 rabbit: > 2,000 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity		
Environmental Effects	:	Toxic to aquatic life.
Product		
Toxicity to fish	:	96 h LC50: 8.4 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	no data available

Toxicity to algae

Components	
Toxicity to daphnia and other aquatic invertebrates	: sodium hydroxide 48 h EC50: 40 mg/l
Persistence and degradability	
Product AS SOLD Biodegradable	
Product AT USE DILUTION Readily biodegradable.	
Bioaccumulative potential	
no data available	
Mobility in soil	
no data available	
Other adverse effects	
no data available	
Section: 13. DISPOSAL CONS	IDERATIONS
Product AS SOLD	
	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
	The product should not be allowed to enter drains, water courses or the soil.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
Product AT USE DILUTION Disposal methods	: Diluted product can be flushed to sanitary sewer.
Disposal considerations	: Dispose of in accordance with local, state, and federal regulations.
Section: 14. TRANSPORT INFO	ORMATION

: no data available

### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)	
UN number	: 1823
Description of the goods	: SODIUM HYDROXIDE, SOLID
Class	: 8
Packing group	: 11
Hazchem Code	: 2W
Environmentally hazardous	: No

### Sea transport (IMDG/IMO)

UN number	: 1823
Description of the goods	: SODIUM HYDROXIDE, SOLID
Class	: 8
Packing group	: 11
Marine pollutant	: No

### Section: 15. REGULATORY INFORMATION

### National regulatory information

Standard for the Uniform : Schedule 6 Scheduling of Medicines and Poisons

### The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations : not determined

### **United States TSCA Inventory :**

On the inventory, or in compliance with the inventory

### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

### Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

### China Inventory of Existing Chemical Substances : not determined

### Taiwan Chemical Substance Inventory : not determined

### Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet Globally Harmonized System of Classification and Labelling of Chemicals (GHS) IARC: (International Agency for Research on Cancer) US. National Toxicology Program (NTP) Report on Carcinogens ECHA List of Publishable Substances Registered EU HPVCs (High Production Volume Chemicals)

Issuing date	: 01.06.2024
Date of first issue	: 20.10.2015
Version	: 1.4
Prepared by	: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.