

# Turbo Destainer

Safety Data Sheet









## TURBO DESTAINER

## Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name TURBO DESTAINER

Other means of identification : Not applicable.

Recommended use : Bleach

Product dilution information : 0.04 % - 0.2 %

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park, NSW Australia 2113

1 800 022 002

Emergency telephone

number

1800 205 506, +64 7 958 2372

Issuing date : 01.06.2024

#### **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin corrosion/irritation Serious eye damage/eye

irritation

: Category 1B : Category 1

# **Product AT USE DILUTION**

Not a hazardous substance or mixture.

#### **GHS Label element**

#### **Product AS SOLD**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face

protection. **Response:** 

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh

air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash

contaminated clothing before reuse.

Storage:

902684-15 1 / 10

# **TURBO DESTAINER**

Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

Precautionary Statements

: Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

**Product AS SOLD** 

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

sodium hypochlorite 7681-52-9 10 - 30

#### **Product AT USE DILUTION**

No hazardous ingredients

#### **Section: 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

#### **Product AT USE DILUTION**

902684-15 2 / 10

# **TURBO DESTAINER**

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

If inhaled : Get medical attention if symptoms occur.

#### **Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

metal oxides

Halogenated compounds

Special protective equipment

for firefighters

: Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Hazchem Code : 2X

# Section: 6. ACCIDENTAL RELEASE MEASURES

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION** 

Personal precautions, : Ensure clean-up is conducted by trained personnel only. Refer to

902684-15 3 / 10

# **TURBO DESTAINER**

protective equipment and emergency procedures

protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

**Product AS SOLD** 

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use

only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container

tightly closed. Store in suitable labeled containers.

Storage temperature : 0 ℃ to 40 ℃

**Product AT USE DILUTION** 

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical

malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Product AS SOLD**

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type. Neoprene gloves

Nitrile

Natural rubber

**PVC** 

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

902684-15 4 / 10

#### TURBO DESTAINER

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

: When workers are facing concentrations above the exposure limit they Respiratory protection

must use appropriate certified respirators.

Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

> Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

**Product AT USE DILUTION Product AS SOLD** 

**Appearance** : liquid liquid

Colour : light yellow light yellow Odour : Chlorine Chlorine

8.5 - 10.0 Hq : 12.0 - 14.0, (100 %)

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and

: 100 ℃

boiling range

: no data available Evaporation rate Flammability (solid, gas) : no data available : no data available Upper explosion limit Lower explosion limit : no data available Vapour pressure : no data available : no data available Relative vapour density

: 1.17 - 1.235 Relative density

Water solubility : soluble

902684-15 5/10

# **TURBO DESTAINER**

Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

: no data available

: no data available

Auto-ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, kinematic : no data available
Explosive properties : no data available
Oxidizing properties : no data available
Molecular weight : no data available

#### Section: 10. STABILITY AND REACTIVITY

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

VOC

: Mixing this product with acid or ammonia releases chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Metals

Acids

Organic materials

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: metal oxides

Halogenated compounds

## Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

902684-15 6 / 10

#### **TURBO DESTAINER**

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### **Toxicity**

# Product AS SOLD

**Product** 

Acute oral toxicity : no data available
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Components

Acute oral toxicity : sodium hypochlorite

LD50 rat: 5,230 mg/kg

Components

Acute dermal toxicity : sodium hypochlorite

LD50 rabbit: > 10,000 mg/kg

902684-15 7 / 10

#### TURBO DESTAINER

#### **Section: 12. ECOLOGICAL INFORMATION**

# **Product AS SOLD**

**Ecotoxicity** 

**Environmental Effects** : Very toxic to aquatic life.

**Product** 

: no data available Toxicity to fish Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : sodium hypochlorite

96 h EC50: 0.14 mg/l

Components

Toxicity to daphnia and other : sodium hypochlorite

aquatic invertebrates

48 h EC50: 0.071 mg/l

#### Persistence and degradability

**Product AS SOLD** 

Not applicable - inorganic

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

**Product AS SOLD** 

: The product should not be allowed to enter drains, water courses or Disposal methods

> the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

**Product AT USE DILUTION** 

: The product should not be allowed to enter drains, water courses or Disposal methods

the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance

with local regulations. Dispose of wastes in an approved waste

902684-15 8/10

#### TURBO DESTAINER

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

## **Section: 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 1791

Description of the goods : HYPOCHLORITE SOLUTION

Class : 8
Packing group : III
Hazchem Code : 2X
Environmentally hazardous : Yes

#### Air transport (IATA)

UN number : 1791

Description of the goods : Hypochlorite solution

Class : 8
Packing group : III
Environmentally hazardous : Yes

# Sea transport (IMDG/IMO)

UN number : 1791

Description of the goods : HYPOCHLORITE SOLUTION

Class : 8
Packing group : III
Marine pollutant : Yes

#### **Section: 15. REGULATORY INFORMATION**

#### **National regulatory information**

Standard for the Uniform : Schedule 5

Scheduling of Medicines and

Poisons

#### The components of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

#### Australia. Industrial Chemical (Notification and Assessment) Act :

902684-15 9 / 10

#### **TURBO DESTAINER**

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

# China Inventory of Existing Chemical Substances:

On the inventory, or in compliance with the inventory

#### **Taiwan Chemical Substance Inventory:**

On the inventory, or in compliance with the inventory

#### **Section: 16. OTHER INFORMATION**

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered

EU HPVCs (High Production Volume Chemicals)

Issuing date : 01.06.2024 Date of first issue : 21.09.2015

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

902684-15