

The logo for Virtue Plus, featuring the word "VIRTUE" in a blue, sans-serif font, followed by a black plus sign. The background of the entire page is a low-angle shot of a modern glass skyscraper with a grid-like pattern of windows and structural elements, set against a bright, slightly hazy sky.

VIRTUE +

Combiclean

Safety Data Sheet

Phone: 1300 255 546
Email: sales@virtueplus.com.au



Connect online
@ Virtue Plus

Printing date 22.07.2025

Revision: 22.07.2025

1 Identification

Product Name: COMBICLEAN

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Cleanser for cooking equipment.

Details of Manufacturer or Importer:

Virtue Plus
13 Fawkner Avenue,
Kings Meadows, Tas, 7249

Phone Number: 03 6344 8400

Emergency telephone number: 1800 205 506, +64 7958 2372

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



corrosion

Skin Corrosion/Irritation 1A H314 Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P260 Do not breathe dusts or mists.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 22.07.2025

Revision: 22.07.2025

Product Name: COMBICLEAN

(Contd. of page 1)

Hazardous Components:		
CAS: 1310-58-3	Potassium hydroxide ⚠ Skin Corrosion/Irritation 1A, H314; ⚠ Acute Toxicity (Oral) 4, H302	10 - <13%
CAS: 102-71-6	Triethanolamine ⚠ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	1 - <10%
CAS: 141-43-5	2-Aminoethanol ⚠ Skin Corrosion/Irritation 1B, H314; Serious Eye Damage/Irritation 1, H318; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332; Flammable Liquids 4, H227	1 - <2.9%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation, coughing and shortness of breath.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: May cause stomach perforation.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, ABC powder or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Spilt product may be slippery.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 22.07.2025

Revision: 22.07.2025

Product Name: COMBICLEAN

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.
Collect the spilt material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures. Do not store below -5°C. Keep away from oxidising agents and acids.

Recommended storage temperature: 5 - 25 °C.

Storage life: 3 years

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 1310-58-3 Potassium hydroxide**

NES Peak limitation: 2 mg/m³

WES Peak limitation: 2 mg/m³

CAS: 102-71-6 Triethanolamine

NES TWA: 5 mg/m³

Sen

WES TWA: 5 mg/m³

Sen

CAS: 141-43-5 2-Aminoethanol

NES STEL: 15 mg/m³, 6 ppm

TWA: 7.5 mg/m³, 3 ppm

WES STEL: 15 mg/m³, 6 ppm

TWA: 7.5 mg/m³, 3 ppm

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile or neoprene gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 22.07.2025

Revision: 22.07.2025

Product Name: COMBICLEAN

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Clear red-brown
Odour:	Slight amine odour
Odour Threshold:	No information available
pH-Value:	>14 (100%)
Melting point/freezing point:	~-4 - +4 °C
Initial Boiling Point/Boiling Range:	~100 °C
Flash Point:	>100 °C
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	Not determined
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Not determined
Density at 20 °C:	1.12 g/cm ³
Vapour Density:	Not determined
Evaporation Rate:	Not determined
Solubility in Water:	Completely miscible
Partition Coefficient (n-octanol/water):	Not determined
Viscosity:	Not determined
VOC:	7.5 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****CAS: 1310-58-3 Potassium hydroxide**

Oral	LD ₅₀	273 mg/kg (rat)
------	------------------	-----------------

CAS: 102-71-6 Triethanolamine

Oral	LD ₅₀	8,000 mg/kg (rat)
------	------------------	-------------------

CAS: 141-43-5 2-Aminoethanol

Oral	LD ₅₀	2,050 mg/kg (rat)
Dermal	LD ₅₀	1,000 mg/kg (rabbit)

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 22.07.2025

Revision: 22.07.2025

Product Name: COMBICLEAN

(Contd. of page 4)

Inhalation	LC ₅₀	>1.3 ppm (rat)
------------	------------------	----------------

Acute Health Effects**Inhalation:** May cause respiratory irritation, coughing and shortness of breath.**Skin:** Causes severe skin burns.**Eye:** Causes serious eye damage.**Ingestion:** May cause stomach perforation.**Skin Corrosion / Irritation:** Causes severe skin burns.**Serious Eye Damage / Irritation:** Causes serious eye damage.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Triethanolamine is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:****CAS: 1310-58-3 Potassium hydroxide**LC₅₀/96 h 45.4 mg/l (rainbow trout)LC₅₀/48 h 40 mg/l (daphnia)**CAS: 102-71-6 Triethanolamine**EC₅₀/48 h 609.98 mg/l (daphnia)LC₅₀/96 h 11,800 mg/l (fathead minnow)**CAS: 141-43-5 2-Aminoethanol**EC₅₀ >1,000 mg/l (activated sludge inhibition)EC₅₀/48 h 65 mg/l (daphnia)LC₅₀/96 h 349 mg/l (carp)

33-93 mg/l (daphnia)

125-2,070 mg/l (fathead minnow)

170 mg/l (goldfish)

Persistence and Degradability: No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 22.07.2025

Revision: 22.07.2025

Product Name: COMBICLEAN

(Contd. of page 5)

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN1814
Proper Shipping Name ADG, IMDG, IATA	POTASSIUM HYDROXIDE SOLUTION
Dangerous Goods Class ADG Class:	8 Corrosive substances.
Packing Group: ADG, IMDG, IATA	II
EMS Number:	F-A,S-B
Hazchem Code:	2R
Limited Quantities:	1L
Packagings & IBCs - Packing Instruction:	P001, IBC02
Portable Tanks & Bulk Containers - Instructions:	T7
Portable Tanks & Bulk Containers - Special Provisions:	TP2

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 1310-58-3	Potassium hydroxide
CAS: 102-71-6	Triethanolamine
CAS: 141-43-5	2-Aminoethanol

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 16.04.2024**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds
 LC₅₀: Lethal concentration, 50 percent
 LD₅₀: Lethal dose, 50 percent
 IARC: International Agency for Research on Cancer
 STEL: Short Term Exposure Limit
 TWA: Time Weighted Average

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 22.07.2025

Revision: 22.07.2025

Product Name: COMBICLEAN

(Contd. of page 6)

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Virtue Plus makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.